

GHG Emissions Report, Bergneset

Table 1. Production year

Year of production (YYYY)

Table 2. GHG emissions by scope

Emissions scope

Scope 1

Scope 2

Scope 3

Total

GHG emissions per tonne of ASC compliant feed (kg CO₂-eq/t)

Biophysical (mass) model	Economic model
	4.07
	1.86
	2006
0	2011.93

Table 3. GHG emissions by category

Emissions category

Fossil emissions

Biogenic emissions

Land use change emissions

Unspecified emissions

Total

Biophysical (mass) model	Economic model
0	0

Table 4. GHG emission by Input / Activity

Input / Activity

Soy crop inputs

Other crop inputs

Reduction fishery inputs

Fishery by-product inputs

Poultry / livestock inputs

Other feed inputs

Transport and milling

Total

Quantity (kg/t)	Biophysical (mass) model	Economic model
186		408
493		1130
203		229
67		78
0		0
51		161
		5.93
1000	0	2011.93

Notes

All emissions values must be reported in units of kg CO₂-equivalent per tonne of ASC compliant feed.

Emissions totals for each section should be equivalent.

Total feed input quantity (kg/t) must equal 1000. Use 'Other feed inputs' to make up any difference from 1000 kg. 'Other feed inputs' should also include vitamins, amino acids, and other microingredients.

Transport-related emissions may be difficult to separate from ingredient production and processing emissions, depending on the data source used. Do not include any transport emissions in 'Transport and milling' that are already counted in the emissions of one of the ingredient groups.