

GHG Emissions Report, Florø

Table 1. Production year

Year of production (yyyy)

Table 2. GHG emissions by scope

Emissions scope	GHG emissions per tonne of ASC compliant feed (kg CO ₂ -eq/t)	
	Biophysical (mass) model	Economic model
Scope 1		26.17
Scope 2		1.59
Scope 3		1915
Total	0	1942.76

Table 3. GHG emissions by category

Emissions category	Biophysical (mass) model	Economic model
Fossil emissions		
Biogenic emissions		
Land use change emissions		
Unspecified emissions		
Total	0	0

Table 4. GHG emission by Input / Activity

Input / Activity	Quantity (kg/t)	Biophysical (mass) model	Economic model
Soy crop inputs	156		321
Other crop inputs	486		1068
Reduction fishery inputs	234		262
Fishery by-product inputs	77		89
Poultry / livestock inputs	0		0
Other feed inputs	47		175
Transport and milling			27.76
Total	1000	0	1942.76

Notes

All emissions values must be reported in units of kg CO₂-equivalent per tonne of ASC compliant feed.

Emissions totals for each section should be equivalent.

Total feed input quantity (kg/t) must equal 1000. Use 'Other feed inputs' to make up any difference from 1000 kg. 'Other feed inputs' should also include vitamins, amino acids, and other microingredients.

Transport-related emissions may be difficult to separate from ingredient production and processing emissions, depending on the data source used. Do not include any transport emissions in 'Transport and milling' that are already counted in the emissions of one of the ingredient groups.